

10/629,241

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	360	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME groove\$1 SAME (pin\$1 or follower\$1)	USPAT ; EPO; DERWE NT	2006/10/01 12:36	
2	BRS	L2	223	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME groove\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7))	USPAT ; EPO; DERWE NT	2006/10/01 12:38	
3	BRS	L3	90	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME groove\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or pat\$1))	USPAT ; EPO; DERWE NT	2006/10/01 12:40	
4	BRS	L4	105	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME groove\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or part\$1 or stop\$4 or step\$4))	USPAT ; EPO; DERWE NT	2006/10/01 12:44	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	16	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME groove\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (step\$4 or stop\$4))	USPAT ; EPO; DERWE NT	2006/10/01 12:44	
6	BRS	L6	97	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or part\$1))	USPAT ; EPO; DERWE NT	2006/10/01 12:46	
7	BRS	L7	66	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or part\$1)) SAME (peripheral\$2 or circumferen\$6)	USPAT ; EPO; DERWE NT	2006/10/01 12:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	1	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or part\$1)) SAME (peripheral\$2 or circumferen\$6) SAME (stop\$4 or step\$4) SAME prevent\$3	USPAT ; EPO; DERWE NT	2006/10/01 12:49	
9	BRS	L9	6	359/823,694-699.CCLS. and (lens\$2 WITH (barrel\$1 or module\$1 or cylind\$7)) SAME cam\$1 SAME (pin\$1 or follower\$1) SAME ((ring\$1 or cylinder\$1) WITH (adjust\$4 or rotat\$7)) SAME (groove\$1 WITH (section\$2 or portion\$1 or part\$1)) SAME (peripheral\$2 or circumferen\$6) SAME (stop\$4 or step\$4)	USPAT ; EPO; DERWE NT	2006/10/01 12:49	